

GHK–Cu Vial Reference (Printable PDF)

ANSWER

GHK–Cu Vial Reference divides labelled vial mass by diluent volume to show concentration. The final column converts a hypothetical 100 mcg value entered by the user into U-100 syringe units at that concentration. It is a vial reference, not an amount or schedule guide.

This chart is a calculation reference. The amounts shown are labels or arithmetic examples; this chart states no dose and gives no **medical advice**.

Vial mg × diluent mL → concentration

Each row is a direct conversion. No row is highlighted or selected for the reader.

Vial mass	Diluent volume	Concentration	User-entered conversion
50 mg	0.5 mL	100,000 mcg/mL	0.1 U-100 units per 100 mcg entered
50 mg	1 mL	50,000 mcg/mL	0.2 U-100 units per 100 mcg entered
50 mg	1.5 mL	33,333.33 mcg/mL	0.3 U-100 units per 100 mcg entered
50 mg	2 mL	25,000 mcg/mL	0.4 U-100 units per 100 mcg entered
50 mg	2.5 mL	20,000 mcg/mL	0.5 U-100 units per 100 mcg entered
50 mg	3 mL	16,666.67 mcg/mL	0.6 U-100 units per 100 mcg entered
50 mg	5 mL	10,000 mcg/mL	1 U-100 units per 100 mcg entered
100 mg	0.5 mL	200,000 mcg/mL	0.05 U-100 units per 100 mcg entered
100 mg	1 mL	100,000 mcg/mL	0.1 U-100 units per 100 mcg entered
100 mg	1.5 mL	66,666.67 mcg/mL	0.15 U-100 units per 100 mcg entered
100 mg	2 mL	50,000 mcg/mL	0.2 U-100 units per 100 mcg entered
100 mg	2.5 mL	40,000 mcg/mL	0.25 U-100 units per 100 mcg entered
100 mg	3 mL	33,333.33 mcg/mL	0.3 U-100 units per 100 mcg entered
100 mg	5 mL	20,000 mcg/mL	0.5 U-100 units per 100 mcg entered
200 mg	0.5 mL	400,000 mcg/mL	0.03 U-100 units per 100 mcg entered
200 mg	1 mL	200,000 mcg/mL	0.05 U-100 units per 100 mcg entered
200 mg	1.5 mL	133,333.33 mcg/mL	0.08 U-100 units per 100 mcg entered
200 mg	2 mL	100,000 mcg/mL	0.1 U-100 units per 100 mcg entered
200 mg	2.5 mL	80,000 mcg/mL	0.13 U-100 units per 100 mcg entered
200 mg	3 mL	66,666.67 mcg/mL	0.15 U-100 units per 100 mcg entered
200 mg	5 mL	40,000 mcg/mL	0.25 U-100 units per 100 mcg entered

Sources

NIST Guide for the Use of the International System of Units (<https://www.nist.gov/pml/special-publication-811>)

PubMed literature search for GHK-Cu (<https://pubmed.ncbi.nlm.nih.gov/?term=GHK-Cu>)

PubChem: copper tripeptide compound record (<https://pubchem.ncbi.nlm.nih.gov/compound/139035031>)

MedChemExpress: copper tripeptide GHK-Cu specification (<https://www.medchemexpress.com/copper-tripeptide-ghk-cu.html>)

• KEY FACTS

- ✓ **Arithmetic reference only:** every numeric cell is a unit conversion or mass ÷ volume result.
- ✓ **No amount is selected:** any target amount shown is explicitly a user-entered example axis.
- ✓ **Printable:** the HTML table and downloadable PDF are generated from the same source.
- ✓ **Check the label:** a table cannot authenticate a vial, syringe or diluent.

How to read this chart

Use a value printed on your own label or measuring device, then follow the row to the converted unit. The table performs deterministic arithmetic and does not decide which row applies to you.

What this chart does not do

It does not select an amount, product, diluent volume, schedule or progression. It is a printable reference for values that already exist in your own record.

Copper coordination changes the identity record

PubChem records copper tripeptide as a copper-coordinated form rather than plain glycyl-L-histidyl-L-lysine. Its listed formula is $C_{14}H_{21}CuN_6O_4^-$ and its molecular weight is 400.90 g/mol. The copper atom is part of that identity record, so a page or certificate for uncomplexed GHK should not be assigned the GHK-Cu value. The blue color commonly associated with copper peptide material is also a reason to preserve the exact compound wording and physical appearance in a lot record. **Sources: PubChem: copper tripeptide compound record · MedChemExpress: copper tripeptide GHK-Cu specification.**

Source and method

The table was generated from the stated formula and checked against **NIST Guide for the Use of the International System of Units · PubMed literature search for GHK–Cu · PubChem: copper tripeptide compound record · MedChemExpress: copper tripeptide GHK–Cu specification**. External sources provide unit or identity context; the numeric grid itself is original arithmetic.

Frequently asked questions

Does this printable chart recommend a dose?



No. It converts labelled mass, measured volume and user-entered values. It provides no starting amount, upper limit, schedule or progression.

Can I use the PDF without the website?



Why is the source list separate from the numeric table?



Related pages

GHK–Cu calculator



Interactive conversion using values you enter.

All printable charts



Browse the full chart library.

Last updated July 28, 2026 · Written by Aykut Yilmaz